
## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



NOV 28 1952

U. S. Department of Agriculture

# PRICE LIST Fall 1952

2.09

## **BEGONIAS**

PLANTS AND SEEDS

Grown and Shipped by

MRS. LOUISE SCHWERDTFEGER

1450 Cantera Avenue

Santa Barbara, California

### EARLY AND WELL KNOWN SPECIES

| acida. Brazil. Creeping rhizomatous. Leaves large on  |
|---|
| short stems, bright green, roughly puckered. Flowers white and drooping on tall stems   |
| acuminata. A.B.S. seed. Similar to B. Lady Waterlow. Everblooming well branched. Flowers white tinted pink. Intermediate fibrous  |
| acutangularis. Tall fibrous cane-type. Stems angular, well branched Leaves glossy green with lighter veining, red beneath. Flowers small white in large clusters                        |
| Angularis (Zebrina) Brazil. Tall fibrous, branches drooping. Leaves pointed, green with gray veins. Flowers small white, clustered on short stems                                       |
| compta. Tall fibrous cane, Light green leaves with gray<br>veining, red beneath. White flowers in clusters50  |
| carpinifolia. Fibrous, from Costa Rica, Stems and branches woody. Dark green beech-tree-like leaves. Flowers white  |
| Dayii A.B.S. seed. Mexico. Medium leafed rhizomatous. Glossy bright green leaves heavily marked with brown veins. Flowers greenish white small, in lacy clusters high above the foliage |

dichotoma (lindleyana) Venezuela. Large, robust, thickstemmed fibrous. Short branches. Leaves roundish,

tala. (Mrs. Kimball) Bombay. Rarely branches, thick-stemmed fibrous. Stems rigid. Bristly hairy.

green. Flowers creamy white .....

Flowers soft pink drooping clusters. ......

| floribunda (multiflora rosea) Pink flowered form of B. fuchsioides. Leaves rose-like. Flowers pink in delicate clusters  |
|--|
| foliosa. Early Columbia species. Bushy fern-like fibrous. Stems and branches arching, Small leaves. Tiny white flowers tinged with pink, single or in pairs on thread-like stems                                   |
| fuchsioides. Mexico. Small leafed fibrous. Tall erect. Branches arching. Leaves small glossy dark green. Flowers bright scarlet, heart-shaped in nodding clusters  |
| imperialis. Native of Mexico and Brazil. Low-growing, small leafed rhizomatous. Velvety leaves in plush green mottled with silver. (Takes Saint Paulia culture). Fragrant small white flowers                      |
| imperialis-smaragdina. Same in lovely green plush. 1.00 imperialis variations. Beautifully marked variations obtained by crossing the species  |
| incarnata Sandersi. The sturdy incarnata. Bushy small leafed fibrous. Well branched, narrow pointed light green leaves. Large pink flowers in terminal clus-   |
| ters   |
| involucrata. Costa Rica. Thick stemmed fibrous. Soft hairy leaves, light green, lobed. Flowers in compact clusters   |
| <b>Kellermani.</b> Guatemala. Entire plant covered with white surf. Fibrous. Suede-like peltate leaves, cupped. Flowers light pink   |
| <b>Ludwigii.</b> Thick stemmed fibrous. Large maple-shaped leaves. Little branching. Likes winter rest 1.00  |
| macBethi. Small leafed semi-tuberous. Many branched. Leaves dainty maple-shaped. Flowers white in clusters close to foliage  |
| metallica. Brazil. Erect fibrous. Bushy, hairy leaf in deep olive-green with metallic sheen, purple veined above, red veined beneath. Flowers large bright pink, darker pink and bearded without in large clusters |
| multangula. Semi-tuberous with small maple-like leaves in deep bronze. Many branched. Flowers white on short stems   |
| odorata alba. Similar to B. nitida but hardier and stronger grower. Tall fibrous cane. Flowers white shaded to pink in many clusters. Fragrant   |
| ricinifolia. Large leafed rhizomatous. Hardy. Bronze foliage. Flowers rose pink on tall stems  |
| ricinifolia-variegata. Same as above but leaves covered with tiny white flecks. 1.00 rubro-venia. India. Intermediate fibrous. Many branch-  |
| ed, Leaves pointed satiny green, sometimes red beneath. Flowers greenish white   |
| rubro-venia. Silver leafed variation of above  |
| <b>Scharffiana.</b> Low-growing and spreading fibrous. Stems red, hairy. Leaves densely covered with white hair, red underneath. New leaves like pink plush. Flowers   |
| pale pink in long arching stems 1.00   |
| Schmidtiana. Brazil. Dwarf fibrous. Many branched. Leaves rounded, dark green soft hairy under mar-  |
| gin of maroon. Flowers white in heavy clusters50   |
| strigillosa. Medium leafed rhizomatous. Bright green leaves heavily flecked with chocolate. Compact growth. Flowers delicate pink  |

- undulata. (perfecta-flora) Brazil. Cane-like small leafed fibrous. Light gree npointed small leaves. Flowers large snow-white in pendulous clusters.
   .50

### EARLY HYBRIDS AND SELECTIONS

- digswelliana. English hybrid. Low bushy branches drooping. Leaves small, coarsely toothed glossy green. Flowers drooping long stemmed scarlet... .75

- Ingrami. Early English, small leafed fibrous. Tall and bushy. (Syn. robusta) Flowers deep pink on short stems.

**Shasta.** A Robinson seedling. B. coccinea variety. Tall fibrous cane-type. Leaves bright green. Flowers large Sunderbruchi. Star rhizomatous. Deeply cut leaves **NEW SPECIES** acetosa. New from Brazil. Rounded leaf, like velvet it is so thickly covered with white hair. Under leaf a brilliant red. Leaf large round on short stems. Low growing rhizome. Flowers white. 2.00 Boweri. Boweri major. Larger and more robust than Boweri with less distinct markings. Inclined to hang. Flowers white. chimborazo. South America. A.B.S. seed. Creeping rhizome. Roundish peltate leaf with light yellowish green veins. Flowers in clusters of deep pink opening to white. corro Benjo. New Mexican species lately introduced by Mr. Brooks. rhizomatous. Kenworthyii. Ziesenhenne introduction. Thick stemmed rhizomatous from Mexico. Ivy-shaped leaf with pinkish gray cast that appears purplish blue when grown in strong light. Flowers pink. 1.00

Mazae. Ziesenhenne introduction from Mexico. Upright growing. Few branched. Beautifully marked bronzy leaves dark beneath. Flowers deep pink with red dots. Resents too much water. 1.00 pustulata. (silver) Hardiest of the imperialis group. Introduced by Ziesenhenne from Mexico. Creeping rhizomes. Velour-like leaves in light green gorgeously marked with silver and brown. Flowers white bearded without. pustulata. (Green) Variation of the above. Dark green leaves with gold-like veins set in the brown mark-Stich-leaf. Ziesenhenne introduction. Similar to Mazae. Distinct with its blanket-stitched leaf. Flowers lacy deep pink on drooping stems. Makes a good Holly-leaf. Cuban species with small holly-like leaf, thick and glossy green like English Holly. Small fibrous, well branched. Flowers white tinged with

#### NEW HYBRIDS

Alto-Scharffi. Woodriff hybrid. Beautiful reddish plush leaves. Many branched fibrous. Entire plant covered with reddish soft hair. Good bloomer with flowers pink opening to paler pink. 1.00

Fred Brown. Mazae hybrid of Ziesenhenne's Medium

Fred Brown. Mazae hybrid of Ziesenhenne's Medium rhizomatous. Satiny bronze leaf. Compact grower. Flowers pink. 1.00



- Baby Brown. Selected seedling of the above hybrid. A Fred Brown in miniature. ..... 1.00
- Freddie. Ziesenhenne hybrid of B. Barkeri. Huge leaves in deep green of this rhizomatous hybrid makes it a wonderful specimen plant. Winter bloomer, pink clusters on tall stems. 1.00
- Joe Hayden. Another Ziesenhenne hybrid. One of the darkest of the rhizomatous type. Almost black leaf with red back, satiny sheen. Flowers dark pink in tall clusters. Extremely popular. 1.00

  Lu Walter. B. incarnata hybrid of Ziesenhenne's. Bronzy leaves. Medium fibrous. Can be trained to hang Clusters of pink flowers.
- hang. Clusters of pink flowers.
- Ricky Minter. Gorgeous crested rhizomatous hybrid of Mrs. Marie Turner's. Dark green to bronze crested leaf with red black. Hardy. Flowers deep pink on tall stems. .....
- Skeezar. Lovely silver leafed small rhizomatous hybrid
- Silver Star. Star-type rhizomatous. Mrs. Frey's hybrid.
- Thick rhizome with many leaves making a compact grower. Flowers greenish white.

  2eeBowman. The first hybrid of B. Boweri. Produced by Mr. Ziesenhenne in 1951. Small rhizomatous. Silver mottled leaf with red back. Compact grower. Winter bloomer. Flowers delicate pink. Makes an ideal house plant.

  1.00

## SCHWERDTFEGER HYBRIDS

- Helen Krauss. A Dayii hybrid. Medium rhizomatous. Leaves marked in dark chocolate along the veins. Red veins beneath. Flowers in lacy huge drooping clusters, of deep pink. 1.00
- Zaida. An epipsila hybrid. Medium rhizomatous. Round bronze leaf thick leathery, with bright red back. Flowers in pink clusters. 1.00
- Bel-Air. A hydrocotylifolia hybrid. Small low growing rhizomatous. Round bronze leaf. Flowers pinkish red. Del-Mar. A Mazae hv
- Mar. A Mazae hybrid. Light green leaf with dark markings along the veins. Medium rhizomatous. Flowers deep pink.
- Frances Downing. A Dayii hybrid. Compact rhizomatous. Leaves bronzy green and slightly hairy. Stipules red. Flowers delicate pink. ...... 1.00
- Marie Reed. Mazae X Kellermani. Fibrous. Leaf peltate covered with white scurf over bronze. Slightly cupped. Flowers pink. 1.00
- Janet Kay. B. Francesii hybrid. Creeping rhizomes. Leaf veined in light green. Heavily pebbled with a metallic sheen. 1.50
- Elodye. B. incarnata hybrid. Fibrous to semi-tuberous. Stems dark red. Tall, well branched. Leaves long, pointed. Flowers salmony-pink, with long petals 1.00

The following B. imperialis hybrids are compact growers, sending up many leaves from a small rhizome. Ideal for house-plants to grow among the Saint Paulias. Nadine. Small leaf, slightly hairy, covered with silver dots. Has not bloomed as yet. 1.00

Elsa. Leaf dark green with red back. Slightly hairy.

Flowers in small clusters of light pink with Mazae red dots.

1.00

Leora. B. metallica cross. Leaf pebbled and with metallic sheen. 1.00

#### **BEGONIA SEED**

#### \$1.00 PER PACKET

Rex begonia hybrids B. incana

B. Boweri
B. Boweri major
B. involucrata

B. circumlobata B. imperialis B. chimborazo B. Kenworthyi

B. Dayii B. laeteviredes
B. dipetala B. laeteviredes-bare

B. dipetala
B. epipsila
B. Francesii
B. metallica
B. dregei
B. stitch-leaf

#### 75c PER PACKET

B. Calla-lily, pink, B. Scharffiana red or mixed B. strigillosa

B. foliosa TUBEROUS SPECIES

P. incorporte Sandansi P. belivionsis

B. incarnata Sandersi
B. Kellermani
B. Rubro-venia
B. boliviensis
B. evansiana,
white or pink

B. rupicola B. Pearcei

#### 50c PER PACKET

B. acutangularis
B. acuminata
B. roezli
B. Columbia,
B. Schmidtiana

species No. 17

B. subvillosa
B. francola
B. Manda's Woolley

B. francola
B. hirtella
Bear
B. macBethi
B. Zebrina

Growing Instructions With Each Order

Prices are F.O.B. Santa Barbara, Cash with Order
Railway Express Collect

Parcel Post Charges Must Be Added To Mail Orders

